

Table 2 Shrimp productivity obtained in different years in Guayas (Ecuador) farms

Year	N°	Survival (%)	Yield (kg/ha)	DFS (%/day)	FCR	FW (g)	Cycle (days)	Growth (g/week)
Average	535	67.9	1 718	2.90	2.04	23.5	139	1.20
2015	41	70.2 <sup>a</sup>	1 700 <sup>b</sup>	2.69 <sup>a</sup>	2.09 <sup>a</sup>	24.1 <sup>a</sup>	152 <sup>a</sup>	1.12 <sup>a</sup>
2016	193	70.6 <sup>a</sup>	1 815 <sup>a</sup>	2.85 <sup>b</sup>	2.02 <sup>b</sup>	24.5 <sup>a</sup>	140 <sup>b</sup>	1.24 <sup>b</sup>
2017	301	63.1 <sup>b</sup>	1 640 <sup>b</sup>	3.15 <sup>c</sup>	2.02 <sup>b</sup>	22.0 <sup>b</sup>	126 <sup>c</sup>	1.24 <sup>b</sup>
Sig. Level	-	0.000 0	0.000 0	0.000 0	0.045	0.000 0	0.000 0	0.000 1

Note: N°: Number of production cycles; DFS: Daily Feeding Supplied; FCR: Feed conversion ratio; FW: Final weight; Values in the same column with different superscripts are significantly different ( $P < 0.05$ )